DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/01/2011 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	[` ′	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01,02		(X3) DATE SURVEY COMPLETED 06/16/2011			
		155502	B. WING						
NAME OF PROVIDER OR SUPPLIER TRANSCENDENT HEALTHCARE OF OWENSVILLE, LLC					STREET ADDRESS, CITY, STATE, ZIP CODE HIGHWAY 165 WEST, PO BOX 369 OWENSVILLE, IN 47665				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		I	ID PROVIDER'S PLAN OF PREFIX (EACH CORRECTIVE AC TAG CROSS-REFERENCED TO DEFICIEN		ON SHOULD BE COMPLETION HE APPROPRIATE DATE			
K 000	INITIAL COMMENTS		К	000					
	Licensure Survey wa	Recertification and State is conducted by the Indiana Health in accordance with 42							
	Survey Date: 06/16/	11							
	Facility Number: 000 Provider Number: 19 AIM Number: 10028	55502							
	Surveyor: Lex Brash Specialist	near, Life Safety Code							
	Healthcare of Owens compliance with Req Medicare/Medicaid, Life Safety from Fire (National Fire Protec (Life Safety Code) ar	ode survey, Transcendent sville, LLC was found in uirements for Participation in 42 CFR Subpart 483.70(a), the 2000 edition of NFPA tion Association) 101, LSC and 410 IAC 16.2. The surveyed with Chapter 19 Occupancies.							
	Type V (000) construsprinklered. The fact with smoke detection open to the corridors	was determined to be of action and was fully sility has a fire alarm system in the corridors and spaces. The facility has a capacity sus of 49 at the time of this							
	Safety Code Special 06/29/11.	obert Booher, REHS, Life ist-Medical Surveyor on							
K 000	INITIAL COMMENTS	3	K	000					
LABORATORY	I DIRECTOR'S OR PROVIDER	SUPPLIER REPRESENTATIVE'S SIGNATURE	<u> </u>		TITLE		(X6) DATE		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/01/2011 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01. 02			(X3) DATE SURVEY COMPLETED	
		B WING					
NAME OF PROVIDER OR SUPPLIER TRANSCENDENT HEALTHCARE OF OWENSVILLE, LLC				н	REET ADDRESS, CITY, STATE, ZIP CODE IIGHWAY 165 WEST, PO BOX 369 DWENSVILLE, IN 47665	06/1	6/2011
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG		PROVIDER'S PLAN OF CORRECTI (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRO DEFICIENCY)	ON SHOULD BE COMPL HE APPROPRIATE DAT	
K 000	(EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		К	000			